




# Immunization Requirements 2009-2010



*State Law and NEISD policy require medically validated up-to-date records of immunizations to be on file for all students. Immunization records must be as complete as medically feasible. To claim exclusions for medical reasons or reasons of conscience, including a religious belief, please contact the school nurse or NEISD Health Services at 804-7147.*

**\*PLEASE NOTE NEW REQUIREMENTS FOR KINDERGARTEN AND 7<sup>TH</sup> GRADE STUDENTS. CHANGES ARE NOTED IN BOLD PRINT.\***

## 3 Years of Age

- |             |   |
|-------------|---|
| 4 Doses     | DTP, DTaP (Diphtheria, Tetanus, Pertussis)  |
| 3 Doses     | IPV (Polio)   |
| 1 Dose      | MMR (Measles, Mumps, Rubella) on or after 1 <sup>st</sup> birthday  |
| 1 Dose      | Hib (Haemophilus influenzae type b) on or after 15 months<br><u>OR</u> primary series with booster on or after 1 <sup>st</sup> birthday                                       |
| 3 Doses     | Hepatitis B   |
| 1 Dose      | Hepatitis A (1 <sup>st</sup> dose recommended on or after 1 <sup>st</sup> birthday; required on or after 2 <sup>nd</sup> birthday; minimum spacing between doses is 6 months) |
| 1 Dose      | Varicella (chickenpox) on or after 1 <sup>st</sup> birthday <u>OR</u> statement/date of chickenpox illness  |
| (See Chart) | PCV7 (Pneumococcal Conjugate Vaccine)   |

#### 4 Years of Age

4 Doses	DTP, DTaP (Diphtheria, Tetanus, Pertussis)
3 Doses	IPV (Polio)
1 Dose	MMR (Measles, Mumps, Rubella) on or after 1 <sup>st</sup> birthday
1 Dose	Hib (Haemophilus influenzae type b) on or after 15 months <u>OR</u> primary series with booster on or after 1 <sup>st</sup> birthday
3 Doses	Hepatitis B
2 Doses	Hepatitis A (1 <sup>st</sup> dose recommended on or after 1 <sup>st</sup> birthday; required on or after 2 <sup>nd</sup> birthday; minimum spacing between doses is 6 months)
1 Dose	Varicella (chickenpox) on or after 1 <sup>st</sup> birthday <b>OR</b> statement/date of chickenpox illness (see additional information)
(See Chart)	PCV7 (Pneumococcal Conjugate Vaccine)

#### Kindergarten

5 Doses	DTP, DTaP (Diphtheria, Tetanus, Pertussis) 5 <sup>th</sup> dose on or after 4 <sup>th</sup> birthday <u>OR</u> 4 doses with 4 <sup>th</sup> dose on or after 4 <sup>th</sup> birthday
4 Doses	IPV (Polio) 4 <sup>th</sup> dose on or after 4 <sup>th</sup> birthday <u>OR</u> 3 doses with 3 <sup>rd</sup> dose on or after 4 <sup>th</sup> birthday
2 Doses	Measles (1 <sup>st</sup> dose on or after 1 <sup>st</sup> birthday)
<b>2 Doses</b>	<b>Mumps (1<sup>st</sup> dose on or after 1<sup>st</sup> birthday)</b>
<b>2 Dose</b>	<b>Rubella (1<sup>st</sup> dose on or after 1<sup>st</sup> birthday)</b>
3 Doses	Hepatitis B
2 Doses	Hepatitis A (1 <sup>st</sup> dose recommended on or after 1 <sup>st</sup> birthday; required on or after 2 <sup>nd</sup> birthday; minimum spacing between doses is 6 months)
<b>2 Doses</b>	<b>Varicella (chickenpox) on or after 1<sup>st</sup> birthday <u>OR</u> statement/date of chickenpox illness</b>

**First Grade**

- 5 Doses DTP, DTaP (Diphtheria, Tetanus, Pertussis) 5<sup>th</sup> dose on or after 4<sup>th</sup> birthday  
OR 4 doses with 4<sup>th</sup> dose on or after 4<sup>th</sup> birthday
- Students who are 7 years of age or older:*
- 3 doses Tetanus-Diphtheria containing vaccine, one of which must have been received on or after the 4<sup>th</sup> birthday
  - Pertussis vaccine is not required.
- 4 Doses IPV (Polio) 4<sup>th</sup> dose on or after 4<sup>th</sup> birthday  
OR 3 doses with 3<sup>rd</sup> dose on or after 4<sup>th</sup> birthday
- 2 Doses Measles (1<sup>st</sup> dose on or after 1<sup>st</sup> birthday)
- 1 Dose Mumps on or after 1<sup>st</sup> birthday
- 1 Dose Rubella on or after 1<sup>st</sup> birthday
- 3 Doses Hepatitis B
- 1 Dose Varicella (chickenpox) on or after 1<sup>st</sup> birthday OR statement/date of chickenpox illness

**Second Grade and Third Grade**

*(If less than 7 years of age, see First Grade)*

- 3 Doses DTP, DTaP, DT, Td (Diphtheria, Tetanus; Pertussis is not required)  
1 dose must be on or after the 4<sup>th</sup> birthday
- 4 Doses IPV (Polio) 4<sup>th</sup> dose on or after 4<sup>th</sup> birthday  
OR 3 doses with 3<sup>rd</sup> dose on or after 4<sup>th</sup> birthday
- 2 Doses Measles (1<sup>st</sup> dose on or after 1<sup>st</sup> birthday)
- 1 Dose Mumps on or after 1<sup>st</sup> birthday
- 1 Dose Rubella on or after 1<sup>st</sup> birthday
- 3 Doses Hepatitis B
- 1 Dose Varicella (chickenpox) on or after 1<sup>st</sup> birthday OR statement/date of chickenpox illness

### Fourth Grade – Sixth Grade

- 3 Doses DTP, DTaP, DT, Td (Diphtheria, Tetanus; Pertussis is not required)  
1 dose must be on or after the 4<sup>th</sup> birthday
- Tdap may be given to students ages 11-18 years
- 1 dose Td (Tetanus) required every 10 years after last dose of DPT/DTaP/DT/Td
- 4 Doses IPV (Polio) 4<sup>th</sup> dose on or after 4<sup>th</sup> birthday  
OR 3 doses with 3<sup>rd</sup> dose on or after 4<sup>th</sup> birthday  
Not required for students 18 years and older
- 2 Doses Measles (1<sup>st</sup> dose on or after 1<sup>st</sup> birthday)
- 1 Dose Mumps on or after 1<sup>st</sup> birthday
- 1 Dose Rubella on or after 1<sup>st</sup> birthday
- 3 Doses Hepatitis B
- 1 Dose Varicella (chickenpox) on or after 1<sup>st</sup> birthday OR statement/date of chickenpox illness  
OR 2 doses are required if first dose of vaccine given at 13 years of age or older

### Seventh Grade

- 3 Doses DTP, DTaP, DT, Td, **Tdap(tetanus, diphtheria, acellular pertussis)**  
1 dose must be on or after the 4<sup>th</sup> birthday
- 1 Dose Tdap/Td booster**  
**(Required only if it has been five years since last dose of tetanus-containing vaccine)**
- 4 Doses IPV (Polio) 4<sup>th</sup> dose on or after 4<sup>th</sup> birthday  
OR 3 doses with 3<sup>rd</sup> dose on or after 4<sup>th</sup> birthday  
Not required for students 18 years and older
- 2 Doses Measles (1<sup>st</sup> dose on or after 1<sup>st</sup> birthday)
- 1 Dose Mumps on or after 1<sup>st</sup> birthday
- 1 Dose Rubella on or after 1<sup>st</sup> birthday
- 3 Doses Hepatitis B
- 2 Doses Varicella (chickenpox) on or after 1<sup>st</sup> birthday OR statement/date of chickenpox illness**  
**OR 2 doses are required if first dose of vaccine given at 13 years of age or older**
- 1 Dose Meningococcal**

**Eighth Grade – Twelfth Grade**

- 3 Doses      DTP, DTaP, DT, Td, **Tdap**  
1 dose must be on or after the 4<sup>th</sup> birthday
- 1 Dose      Tdap/Td booster**  
**(Required if it has been 10 years or more since last tetanus-containing vaccine)**
- 4 Doses      IPV (Polio) 4<sup>th</sup> dose on or after 4<sup>th</sup> birthday  
OR 3 doses with 3<sup>rd</sup> dose on or after 4<sup>th</sup> birthday  
Not required for students 18 years and older
- 2 Doses      Measles (1<sup>st</sup> dose on or after 1<sup>st</sup> birthday)
- 1 Dose      Mumps on or after 1<sup>st</sup> birthday
- 1 Dose      Rubella on or after 1<sup>st</sup> birthday
- 3 Doses      Hepatitis B
- 1 Dose      Varicella (chickenpox) on or after 1<sup>st</sup> birthday OR statement/date of chickenpox illness  
OR 2 doses are required if first dose of vaccine given at 13 years of age or older